

SAFETY DATA SHEET FOR SCRUBWORX 20.20 NEUTRAL PH FLOOR CLEANER

Date of Issue/Date of Revision: 7/11/2022

Date of Previous Issue: 3/21/2017

Version: 1.04

SECTION 1: IDENTIFICATION

GHS Product Identifier: Other Means of Identification: Product type:	StaticWorx ScrubWorx Not available Liquid
Relevant identified uses of the subs Not applicable	stance or mixture and uses advised against:
Supplier's Details:	StaticWorx, Inc., 372 Hurricane Ln Suite 201, Williston, VT 05495 (617) 923-2000 staticworx.com
Emergency Telephone Number (with hours of operation)	800-255-3924 (24 hour)
SECTION 2: HAZARD(S) IDENTIF	ICATION
OSHA/HCS status:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture:	Not classified.
GHS Label Elements	
Signal Word: Hazard Statements:	No signal word. No known significant effects or critical hazards.
Precautionary Statements	
Prevention: Response: Storage: Disposal:	Not applicable. Not applicable. Not applicable. Not applicable.
Hazards not otherwise classified:	None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:MixtureOther Means of Identification:Not available.

CAS Number/Other Identifiers

CAS Number:	
Product Code:	

Ingredient Name%CAS NumberSodium dodecylbenzenesulfonate≥3 - <3.6</td>25155-30-0Tetrasodium ethylene diamine tetraacetate≥3 - <3.3</td>64-02-8Alcohols, C9-11, ethoxylated≥1 - <2.9</td>68439-46-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Not applicable.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASURES

Description of Necessary First Aid Measures

Eye Contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin Contact:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

Potential Acute Heath Effects

Eye Contact:	No known significant effects or critical hazards.
Inhalation:	No known significant effects or critical hazards.
Skin Contact:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.

Over-Exposure Signs/Symptoms

Eye Contact:	No specific data.
Inhalation:	No specific data.
Skin Contact:	No specific data.
Ingestion:	No specific data.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance	
48 hours. No specific treatment.	
No action shall be taken involving any personal risk or without suitable training	

SEE TOXICOLOGICAL INFORMATION (SECTION 11).

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Unsuitable Extinguishing Media: Specific Hazards Arising from	Use an extinguishing agent suitable for the surrounding fire. None known.
the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst
Hazardous Thermal Decomposition	Decomposition products may include the following materials:
Products:	Carbon dioxide
	Carbon monoxide
	Nitrogen oxides
	Sulfur oxides
	Metal oxide/oxides
Special Protective Actions for	Promptly isolate the scene by removing all persons from the vicinity of the incident
Fire-Fighters:	if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special Protective Equipment for Fire-Fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and emergency procedures

For Non-Emergency Personnel:No action shall be taken involving any personal risk or without suitable training.
Evacuate surrounding areas. Keep unnecessary and unprotected personnel from
entering. Do not touch or walk through spilled material. Put on appropriate
personal protective equipment.

For Emergency Responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".	
Environmental Precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and Materials for Containment and Cleaning Up		
Small Spill:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large Spill:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	

staticWorx

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Protective Measures: Advice on General Occupational Hygiene:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for Safe Storage, Including Any Incompatibilities:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

Occupational Exposure Limits: None

Appropriate Engineering Controls:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental Exposure Controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual Protection Measures	
Hygiene Measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/Face Protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.
Skin Protection	
Hand Protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body Protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other Skin Protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory Protection:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical State:	Liquid
Color:	Clear. Green.
Odor:	Minty.
Odor Threshold:	Not available
pH:	10 to 11
Melting Point at °C:	Not available
Boiling Point at °C:	Not available.

Flash Point: Evaporation Rate: Flammability (solid, gas): Lower and upper explosive	Closed cup: Not applicable. [Product does not sustain combustion.] Not available Not available.
(flammable) limits:	Not available.
Vapor Pressure:	Not available
Vapor Density:	Not available
Relative Density:	1.024
Solubility:	Easily soluble in the following materials: cold water and hot water.
Ignition Temperature:	Not available
Partition Coefficient:	
n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	Not available.

staticWorx_®

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.	
Chemical Stability:	The product is stable.	
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.	
Conditions to Avoid:	No specific data.	
Incompatible Materials:	No specific data.	
Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products		
	should not be produced.	

SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

Acute Toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Sodium dodecylbenzenesulfonate	LC50 Inhalation Vapor	Rat	310 mg/m ³	4 hours
Tetrasodium ethylene diamine tetraacetate	LD50 Oral LD50 Oral	Rat Rat	438 mg/kg 10 g/kg	-
Alcohols, C9-11, ethoxylated	LD50 Dermal LD50 Oral	Rabbit Rat	2 g/kg 1378 mg/kg	-

Irritation/Corrosion

Product/Ingredient Name	Result	Species	Score	Exposure	Observation
Sodium dodecylbenzenesulfonate	Eyes - Severe irritant	Rabbit	-	24 hours 250	-
				Micrograms	
	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20	-
				milligrams	
Tetrasodium ethylene diamine tet-	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
raacetate				milligrams	
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				milligrams	

Sensitization:	Not available.
Mutagenicity:	Not available.
Carcinogenicity:	Not available.
Reproductive Toxicity:	Not available.
Teratogenicity:	Not available.
Specific Target Organ Toxicity	
(Single Exposure):	Not available.
Specific Target Organ Toxicity	
(Repeat Exposure):	Not available.
Aspiration Hazard:	Not available.
Information on the Most Likely	Routes of entry anticipated: Oral, Dermal.
Routes of Exposure:	Routes of entry not anticipated: Inhalation.
Potential Acute Heath Effects	
Eye Contact:	No known significant effects or critical hazards.
Inhalation:	No known significant effects or critical hazards.
	No known significant effects or critical hazards.
Skin Contact:	
Ingestion:	No known significant effects or critical hazards.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Eye Contact:	No specific data.
Inhalation:	No specific data.
Skin Contact:	No specific data.
Ingestion:	No specific data.

Delayed and Immediate Effects and Also Chronic Effects from Short and Long Term Exposure

Short Term Exposure

Potential Immediate Effects:	Not available.
Potential Delayed Effects:	Not available.

staticWorx[®]

:

Long Term Exposure

Potential Immediate Effects:	Not available.
Potential Delayed Effects:	Not available.
Potential Chronic Health Effects:	Not available.
General:	No known significant effects or critical hazards.
Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Teratogenicity:	No known significant effects or critical hazards.
Development Effects:	No known significant effects or critical hazards.
Fertility Effects:	No known significant effects or critical hazards.

NUMERICAL MEASURES OF TOXICITY

Acute Toxicity Estimates

Route	ATE Value
Oral	2924.1 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Product/Ingredient Name	Result	Species	Exposure
Sodium dodecylbenzenesulfonate	Acute EC50 29000 μg/l Fresh water	Algae - Chlorella pyrenoidosa - Exponential growth phase	96 hours
	Acute EC50 7.81 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 0.15 ppm Fresh water	Daphnia - Daphnia pulex	48 hours
	Acute IC50 112.4 mg/l	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute LC50 1.18 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
Tetrasodium ethylene diamine tetraacetate	Acute LC50 486000 μg/l Fresh water	Fish - Lepomis macrochirus	96 hours
Alcohols, C9-11, ethoxylated	Acute EC50 5.36 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 2686 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 8500 μg/l Fresh water	Fish - Pimephales promelas	96 hours

Persistence and Degradability

Not available.

Bioaccumulative Potential

Product/Ingredient Name	LogPow	BCF	Potential
Sodium	1.96	-	low
dodecylbenzenesulfonate			
Tetrasodium ethylene	5.01	1.8	low
diamine tetraacetate			
Alcohols, C9-11, ethoxylated	-	237	low

Mobility in Soil

Soil/Water Partition Coefficient (KOC):

Not available.

Other Adverse Effects:

No known significant effects or critical hazards

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN Number	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name	-	-	-	-	-	-
Transport Hazard Class(es)	-	-	-	-	-	-
Packing Group	-	-	-	-	-	-
Environmental Hazards	No	No	No	No	No	No
Additional Information	Reportable quantity: 29850.7 lbs / 13552.2 kg [3496.2 gal / 13234.6 L] Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.	-	-	-	-	-

This product is not classified for transport under ADR/IMDG regulations.

Special Precautions for User:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in Bulk According to Annex II of MARPOL and the IBC Code:

Not available.



SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations:	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate; sodium hydroxide

Clean Air Act Section 112 (b)	
Hazardous Air Pollutants (HAPs):	Not listed
Clean Air Act Section 602	
Class I Substances:	Not listed
Clean Air Act Section 602	
Class II Substances:	Not listed
DEA List I Chemicals	
(Precursor Chemicals):	Not listed
DEA List II Chemicals	
(Essential Chemicals):	Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 QR:	Not applicable.
--------------	-----------------

SARA 311/312

Classification:

Not applicable

Composition/information on ingredients

Name	%	Fire Hazard	Sudden Release of Pressure	Reactive	Immediate (Acute) Health Hazard	Delayed (Chronic) Health Hazard
Sodium dodecylbenzenesulfonate	≥3 - <3.6	No	No	No	Yes	No
Tetrasodium ethylene diamine tetraacetate	≥3 - <3.3	Yes	No	No	Yes	No
Alcohols, C9-11, ethoxylated	≥1 - <2.9	No	No	No	Yes	No

State Regulations

Massachusetts:	The following components are listed: SODIUM DODECYLBENZENE SULFONATE.
New York:	The following components are listed: DODECYLBENZENE SULFONATE.
New Jersey:	The following components are listed: SODIUM DODECYLBENZENE SULFONATE;
	BENZENESULFONIC ACID, DODECYL-, SODIUM SALT
Pennsylvania:	The following components are listed: BENZENESULFONIC ACID, DODECYL-, SODIUM SALT

staticWorx[®]

International Regulations

Chemical Weapon Convention List	
Schedules I, II & III Chemicals:	Not listed.
Montreal Protocol	
(Annexes A, B, C, E):	Not listed.
Stockholm Convention on	
Persistent Organic Pollutants:	Not listed.
Rotterdam Convention on Prior	
Inform Consent (PIC):	Not listed.
UNECE Aarhus Protocol on POPs	
and Heavy Metals:	Not listed.
International Lists	
National Inventory	
Australia:	Not determined.
Canada:	Not determined.
China:	Not determined.
Europe:	Not determined.
Japan:	Not determined.
Malaysia:	Not determined.
New Zealand:	Not determined.
Philippines:	Not determined.
Republic of Korea:	Not determined.
Taiwan:	Not determined.

SECTION 16: OTHER INFORMATION


Hazardous Material Information System (U.S.A.)



Caution: HMIS[®] ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS[®] ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS[®] ratings are to be used with a fully implemented HMIS[®] program. HMIS[®] is a registered mark of the National Paint & Coatings Association (NPCA). HMIS[®] materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure Used to Derive the Classification

Classification	Justification
Not classified.	

History

Date of Printing:	3/21/2017
2	5/21/2017
Date of Issue/Date of Revision:	7/11/2022
Date of Previous Issue:	3/21/2017
Version:	1.04
Key to Abbreviations:	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships,
	1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	UN = United Nations

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.