

# SAFETY DATA SHEET FOR GROUNDGRIP ESD

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision date: 03/25/2024

Version 1.0

## SECTION 1: IDENTIFICATION

### Product Identifier

**Product Form:** Mixture  
**Product Name:** GroundGrip ESD

### Intended Use of the Product

**Use of the Substance/Mixture:** No use is specified.

### Name, Address, and Telephone of the Responsible Party

**Company:** StaticWorx, Inc., 372 Hurricane Ln Suite 201, Williston, VT 05495  
(617) 923-2000

### Emergency Telephone Number

**Emergency Number:** CANUTEC 613-996-6666 / CHEMTREC 1-800-424-9300

## SECTION 2: HAZARD(S) IDENTIFICATION

### Classification of the Substance or Mixture

**Classification (GHS-US):** Not classified

### Label Elements

**GHS-US Labeling:** No labelling applicable

### Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

**Unknown Acute Toxicity (GHS-US)** Not available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Name	Product Identifier	% (w/w)
Graphite*	(CAS No) 7782-42-5	15 - 40
Titanium Dioxide*	(CAS No) 13463-67-7	10 - 30

\* This product contains a material that may be hazardous when present as an airborne dust. Since this product is in a liquid form, the material is not able to become airborne and cannot be inhaled. Thus, the hazards usually associated with this material are not applicable to this product.

**SECTION 4: FIRST-AID MEASURES****Description of First Aid Measures:**

<b>General:</b>	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).
<b>Inhalation:</b>	Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
<b>Skin Contact:</b>	Rinse immediately with plenty of water. Remove contaminated clothing. Rinse affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
<b>Eye Contact:</b>	Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if redness, pain, or irritation occurs.
<b>Ingestion:</b>	Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

**Most important symptoms and effects, both acute and delayed**

<b>General:</b>	Not expected to present a significant hazard under anticipated conditions of normal use.
<b>Inhalation:</b>	Prolonged exposure may cause irritation.
<b>Skin Contact:</b>	Prolonged exposure may cause skin irritation.
<b>Eye Contact:</b>	Prolonged exposure to liquid may cause a mild irritation.
<b>Ingestion:</b>	Ingestion is likely to be harmful or have adverse effects.
<b>Chronic Symptoms:</b>	None expected under normal conditions of use.

**Indication of Any Immediate Medical Attention and Special Treatment Needed**

If you feel unwell, seek medical advice (show the label where possible).

**SECTION 5: FIRE-FIGHTING MEASURES****Extinguishing Media:**

<b>Suitable Extinguishing Media:</b>	Use extinguishing media appropriate for surrounding fire.
<b>Unsuitable Extinguishing Media:</b>	Do not use a heavy water stream. Use of heavy stream of water may spread fire.

**Special Hazards Arising From the Substance or Mixture**

<b>Fire Hazard:</b>	Not flammable
<b>Explosive Hazard:</b>	Product is not explosive.
<b>Reactivity:</b>	Hazardous reactions will not occur under normal conditions.

**Advice for Firefighters**

<b>Precautionary Measures:</b>	Exercise caution when fighting any chemical fire.
<b>Firefighting Instructions:</b>	Use water spray or fog for cooling exposed containers.
<b>Protection During Firefighting:</b>	Do not enter fire area without proper protective equipment, including respiratory protection.
<b>Hazardous Combustion Products:</b>	Carbon oxides (CO, CO <sub>2</sub> ). Oxides of titanium.

**Reference to Other Sections**

Refer to Section 9 for flammability properties.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

**For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).  
**Emergency Procedures:** Evacuate unnecessary personnel.

**For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.  
**Emergency Procedures:** Stop leak if safe to do so. Ventilate area.

**Environmental Precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

**Methods and Material for Containment and Cleaning Up**

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

**Reference to Other Sections**

See Section 8. Exposure Controls/Personal Protection. For further information refer to Section 13.

**SECTION 7: HANDLING AND STORAGE****Precautions for Safe Handling:**

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

**Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.

**Specific End Use(s)**

No use is specified.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****Control Parameters**

For substances listed in Section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

<b>Graphite (7782-42-5)</b>		
<b>USA ACGIH</b>	ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (all forms except graphite fibers-respirable fraction)
<b>USA OSHA</b>	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (synthetic-total dust) 5 mg/m <sup>3</sup> (synthetic-respirable fraction)
<b>USA NIOSH</b>	NIOSH REL (TWA) (mg/m <sup>3</sup> )	2.5 mg/m <sup>3</sup> (natural-respirable dust)
<b>USA IDLH</b>	US IDLH (mg/m <sup>3</sup> )	1250 mg/m <sup>3</sup>
<b>Alberta</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable)
<b>British Columbia</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable)
<b>Manitoba</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable fraction)
<b>New Brunswick</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (all forms except Graphite fibers)
<b>Newfoundland &amp; Labrador</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable fraction)
<b>Northwest Territories</b>	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (synthetic-respirable mass) 10 mg/m <sup>3</sup> (synthetic, total mass)
<b>Nova Scotia</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable fraction)
<b>Nunavut</b>	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (synthetic-respirable mass) 10 mg/m <sup>3</sup> (synthetic, total mass)
<b>Ontario</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (except Graphite fibers-respirable)
<b>Prince Edward Island</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable fraction)
<b>Québec</b>	VEMP (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica, except Graphite fibers-respirable dust)
<b>Saskatchewan</b>	OEL STEL (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup> (natural, except Graphite fibers-respirable fraction)
<b>Saskatchewan</b>	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (natural, except Graphite fibers-respirable fraction)
<b>Yukon</b>	OEL TWA (mg/m <sup>3</sup> )	20 mppcf 30 mppcf (synthetic) 10 mg/m <sup>3</sup> (synthetic)


<b>Titanium dioxide (13463-67-7)</b>		
<b>USA ACGIH</b>	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>USA ACGIH</b>	ACGIH chemical category	Not Classifiable as a Human Carcinogen
<b>USA OSHA</b>	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust)
<b>USA IDLH</b>	US IDLH (mg/m <sup>3</sup> )	5000 mg/m <sup>3</sup>
<b>Alberta</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>British Columbia</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust) 3 mg/m <sup>3</sup> (respirable fraction)
<b>Manitoba</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>New Brunswick</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Newfoundland &amp; Labrador</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Northwest Territories</b>	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (respirable mass) 10 mg/m <sup>3</sup> (total mass)
<b>Nova Scotia</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Nunavut</b>	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (respirable mass) 10 mg/m <sup>3</sup> (total mass)
<b>Ontario</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Prince Edward Island</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Québec</b>	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica-total dust)
<b>Saskatchewan</b>	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
<b>Saskatchewan</b>	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Yukon</b>	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>
<b>Yukon</b>	OEL TWA (mg/m <sup>3</sup> )	30 mppcf 10 mg/m <sup>3</sup>

**Exposure Controls****Appropriate Engineering Controls:**

Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

**Personal Protective Equipment:**

Protective goggles. Gloves. Protective clothing.

**Materials for Protective Clothing:**

Chemically resistant materials and fabrics.

**Hand Protection:**

Wear chemically resistant protective gloves.

**Eye Protection:**

Chemical goggles or safety glasses.

**Skin and Body Protection:**

Wear suitable protective clothing.

**Respiratory Protection:**

Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

**Environmental Exposure Controls:**

Do not allow the product to be released into the environment.

**Consumer Exposure Controls:**

Do not eat, drink or smoke during use

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****Information on Basic Physical and Chemical Properties**

<b>Physical State:</b>	Liquid
<b>Appearance:</b>	Grey
<b>Odor:</b>	Low Odor
<b>Odor Threshold:</b>	Not available
<b>pH:</b>	6.5 – 8.5
<b>Evaporation Rate:</b>	Same as water
<b>Melting Point:</b>	Not available
<b>Freezing Point:</b>	32°F
<b>Boiling Point:</b>	~212°F
<b>Flash Point:</b>	>200°F
<b>Auto-ignition Temperature:</b>	Not available
<b>Decomposition Temperature:</b>	Not available
<b>Flammability (solid, gas):</b>	Not available
<b>Lower Flammable Limit:</b>	Not available
<b>Upper Flammable Limit:</b>	Not available
<b>Vapor Pressure:</b>	Same as water
<b>Relative Vapor Density at 20 °C:</b>	Not available
<b>Relative Density:</b>	Not available
<b>Specific Gravity:</b>	1.12
<b>Solubility:</b>	Water soluble
<b>Partition Coefficient: N-Octanol/Water:</b>	Not available
<b>Viscosity:</b>	20,000 – 27,000 cps
<b>Explosion Data – Sensitivity to Mechanical Impact:</b>	Not expected to present an explosion hazard due to mechanical impact.
<b>Explosion Data – Sensitivity to Static Discharge:</b>	Not expected to present an explosion hazard due to static discharge.
<b>VOC Content (SCAQMD Rule 1168):</b>	<1 g/L

**SECTION 10: STABILITY AND REACTIVITY**

<b>Reactivity:</b>	Hazardous reactions will not occur under normal conditions.
<b>Chemical Stability:</b>	Stable under recommended handling and storage conditions (see Section 7).
<b><u>Possibility of Hazardous Reactions:</u></b>	Hazardous polymerization will not occur.
<b><u>Conditions to Avoid:</u></b>	Direct sunlight. Extremely high or low temperatures. Incompatible materials.
<b><u>Incompatible Materials:</u></b>	Strong acids, strong bases, strong oxidizers.
<b><u>Hazardous Decomposition Products:</u></b>	Carbon oxides (CO, CO <sub>2</sub> ). Oxides of titanium.

**SECTION 11: TOXICOLOGICAL INFORMATION****Information on Toxicological Effects - Product**

<b>Acute Toxicity:</b>	Not classified
<b>LD50 and LC50 Data:</b>	Not available
<b>Skin Corrosion/Irritation:</b>	Not classified
<b>Serious Eye Damage/Irritation:</b>	Not classified
<b>Respiratory or Skin Sensitization:</b>	Not classified
<b>Germ Cell Mutagenicity:</b>	Not classified
<b>Teratogenicity:</b>	Not classified
<b>Carcinogenicity:</b>	Not classified
<b>Specific Target Organ Toxicity (Repeated Exposure):</b>	Not classified
<b>Reproductive Toxicity:</b>	Not classified
<b>Specific Target Organ Toxicity (Single Exposure):</b>	Not classified
<b>Aspiration Hazard:</b>	Not classified
<b>Symptoms/Injuries After Inhalation:</b>	Prolonged exposure may cause irritation.
<b>Symptoms/Injuries After Skin Contact:</b>	Prolonged exposure may cause skin irritation.
<b>Symptoms/Injuries After Eye Contact:</b>	Prolonged exposure to liquid may cause a mild irritation.
<b>Symptoms/Injuries After Ingestion:</b>	Ingestion is likely to be harmful or have adverse effects.
<b>Chronic Symptoms:</b>	None expected under normal conditions of use.

**Information on Toxicological Effects - Ingredient(s)****LD50 and LC50 Data:**

<b>Titanium dioxide (13463-67-7)</b>	
<b>LD50 Oral Rat</b>	> 10000 mg/kg
<b>Urea (57-13-6)</b>	
<b>LD50 Oral Rat</b>	8471 mg/kg
<b>ATE US (oral)</b>	8,471.00 mg/kg body weight
<b>Titanium dioxide (13463-67-7)</b>	
<b>IARC Group</b>	2B
<b>OSHA Hazard Communication Carcinogen List</b>	In OSHA Hazard Communication Carcinogen list.

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Toxicity:</b>	No additional information available.
<b>Persistence and Degradability:</b>	Not available.
<b>Bioaccumulative Potential</b>	
<b>Mobility in Soil:</b>	Not available
<b>Other Adverse Effects:</b>	
<b>Other Information:</b>	Avoid release to the environment.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Ecology — Waste Materials:** Avoid release to the environment.

**SECTION 14: TRANSPORT INFORMATION**

**In Accordance with DOT:** Not regulated for transport  
**In Accordance with IMDG:** Not regulated for transport  
**In Accordance with IATA:** Not regulated for transport  
**In Accordance with TDG:** Not regulated for transport

**SECTION 15: REGULATORY INFORMATION****US Federal Regulations**

<b>Graphite (7782-42-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Titanium dioxide (13463-67-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>SARA Section 311/312 Hazard Classes</b>	Delayed (chronic) health hazard

**US State Regulations**

**Proposition 65** – To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

<b>Graphite (7782-42-5)</b>
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List
<b>Titanium dioxide (13463-67-7)</b>
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

**Canadian Regulations**

<b>Graphite (7782-42-5)</b>
Listed on the Canadian DSL (Domestic Substances List)
<b>Titanium dioxide (13463-67-7)</b>
Listed on the Canadian DSL (Domestic Substances List)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.



**SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION**

**Revision Date:** 03/25/2024

**Other Information:** This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

**GHS Full Text Phrases:** This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

*North America GHS US 2012 & WHMIS 2015*